

The Role of Physical Activity in Improving Mental Health: A Review

Himanshi^{1*}

¹Department of Physical Education, Chaudhary Ranbir Singh University, Jind, Haryana

*Corresponding Author: Email id – panghalhimanshi2000@gmail.com

Abstract

Physical activity is recognized as one of the most effective non-pharmacological approaches for improving mental health and psychological well-being. Regular participation in physical activity has been associated with reduced symptoms of depression, anxiety, stress, and emotional disorders while enhancing self-esteem, cognitive function, resilience, and overall quality of life. The purpose of this review paper is to examine the relationship between physical activity and mental health by reviewing previous research findings. The review discusses the physiological and psychological mechanisms through which physical activity improves mental well-being, including the release of endorphins, regulation of neurotransmitters, improved sleep quality, and enhanced social interaction. Furthermore, the paper explores the role of different forms of exercise such as aerobic exercise, resistance training, yoga, and recreational sports in promoting mental health among children, adolescents, adults, and older adults. Evidence from previous studies consistently indicates that regular physical activity significantly improves psychological well-being and reduces the prevalence of common mental disorders. The review concludes that physical activity should be considered an essential component of public health strategies and mental health interventions.

Keywords: Physical Activity, Mental Health, Depression, Anxiety, Stress, Exercise, Psychological Well-being, Quality of Life.

Introduction

Mental health is an essential component of overall health and well-being. According to the World Health Organization (WHO), mental health is a state of well-being in which individuals realize their abilities, cope effectively with normal life stresses, work productively, and contribute to their communities. In recent decades, mental health disorders such as depression, anxiety, stress, and emotional burnout have increased significantly across all age groups due to changing lifestyles, academic pressure, occupational stress, technological dependence, and reduced physical activity.

Physical activity has emerged as one of the most effective strategies for preventing and managing mental health problems. Scientific evidence indicates that regular exercise not only improves physical fitness but also

enhances mood, emotional stability, cognitive performance, and social well-being. Exercise stimulates the release of endorphins, serotonin, dopamine, and other neurotransmitters that regulate emotions and promote feelings of happiness and relaxation.

Participation in sports, recreational activities, walking, jogging, cycling, swimming, yoga, and resistance training has been shown to reduce symptoms of depression and anxiety while improving self-confidence, resilience, and life satisfaction. Consequently, health professionals increasingly recommend physical activity as an adjunct therapy for mental health disorders.

The growing burden of mental illness worldwide highlights the importance of understanding the relationship between physical activity and mental health. This review synthesizes current scientific evidence regarding the psychological benefits of

regular physical activity and provides practical recommendations for promoting mental well-being through exercise.

Objectives of the Review

The present review aims to:

- To examine the relationship between physical activity and mental health.
- To identify the psychological benefits of regular physical activity.
- To review different forms of exercise that improve mental well-being.
- To summarize findings from previous research.
- To suggest future research directions.

Methodology

This review paper is based on secondary data collected from peer-reviewed journals, books, systematic reviews, meta-analyses, Google Scholar, PubMed, Scopus, and Web of Science published mainly between 2015 and 2024. Relevant studies focusing on physical activity and mental health were critically reviewed and synthesized.

Importance of Physical Activity for Mental Health

Physical activity is widely recognized as one of the most effective and affordable methods for promoting mental health and psychological well-being. Regular participation in exercise helps individuals maintain emotional balance, improve cognitive functioning, and reduce the risk of developing mental disorders. In today's fast-paced world, where stress, anxiety, and depression have become increasingly common, physical activity serves as a natural and non-pharmacological intervention. Unlike medication, exercise has minimal side effects and provides long-term physical as well as psychological benefits.

Scientific research has shown that individuals who engage in regular physical activity experience better emotional stability and life satisfaction than those with sedentary lifestyles. Exercise stimulates the release of neurotransmitters such as serotonin, dopamine, and endorphins, commonly known as "feel-good hormones." These chemicals improve mood, reduce stress, and create a

sense of relaxation and happiness. Regular exercise also lowers cortisol levels, the hormone associated with stress, thereby improving emotional resilience.

In addition to its biological effects, physical activity improves social interaction and self-confidence. Participation in sports, fitness programs, and recreational activities allows individuals to develop friendships, teamwork, communication skills, and social support, all of which contribute positively to mental well-being. Therefore, physical activity should be considered an essential component of mental health promotion across all age groups.

Major Psychological Benefits of Physical Activity

Reduction of Depression

Depression is one of the leading causes of disability worldwide and significantly affects quality of life. Research has consistently shown that regular physical activity is an effective strategy for reducing depressive symptoms. Exercise stimulates the production of endorphins, serotonin, and dopamine, which enhance mood and reduce feelings of sadness and hopelessness. Aerobic activities such as walking, jogging, swimming, and cycling have been particularly effective in reducing mild to moderate depression.

Furthermore, physical activity improves self-esteem, provides a sense of achievement, and encourages positive thinking. Regular participation in exercise also promotes better sleep and increases energy levels, both of which contribute to reducing depressive symptoms. Many healthcare professionals now recommend exercise as an adjunct therapy alongside psychological counselling and medication.

Anxiety Management

Anxiety disorders affect millions of people and often interfere with daily functioning and quality of life. Physical activity helps reduce anxiety by decreasing muscle tension, lowering stress hormone levels, and promoting relaxation. Exercise increases parasympathetic nervous system activity, allowing the body to recover more efficiently after stressful situations.

Mind-body exercises such as yoga, tai chi, and meditation-based physical activities are particularly effective in reducing anxiety because they combine physical movement with breathing control and mindfulness. Regular exercise also improves confidence and emotional regulation, enabling individuals to cope more effectively with stressful situations.

Stress Reduction

Stress has become an unavoidable aspect of modern life due to academic, occupational, financial, and social pressures. Chronic stress negatively affects both physical and mental health, increasing the risk of anxiety, depression, cardiovascular disease, and weakened immunity. Physical activity serves as an effective stress-management strategy by regulating hormonal responses and improving emotional control.

Exercise reduces cortisol and adrenaline levels while increasing endorphin secretion, resulting in feelings of relaxation and psychological comfort. It also improves sleep quality, which further enhances stress recovery. Individuals who participate in regular physical activity generally report lower stress levels and greater emotional resilience.

Self-Esteem and Self-Confidence

Self-esteem refers to an individual's overall evaluation of self-worth, while self-confidence reflects belief in one's abilities. Regular participation in sports and exercise significantly improves both. Achieving fitness goals, learning new skills, and experiencing improvements in physical appearance enhance confidence and create a positive self-image.

Athletes often demonstrate higher levels of confidence because regular training develops discipline, perseverance, and competence. Increased self-confidence enables individuals to face challenges more effectively and contributes to better academic, professional, and social performance.

Major Components of Sports Nutrition

Carbohydrates

Carbohydrates are considered the primary source of energy during moderate- and high-intensity exercise. They are stored in the body

as glycogen in the muscles and liver. During exercise, glycogen is broken down to produce glucose, which fuels muscle contractions. Athletes with sufficient glycogen stores can sustain exercise for longer periods and maintain higher levels of performance.

Numerous studies have demonstrated that carbohydrate loading before endurance competitions increases glycogen storage and delays the onset of fatigue. During prolonged exercise lasting more than one-hour, consuming carbohydrate-rich sports drinks or gels helps maintain blood glucose levels and improves endurance capacity. After exercise, carbohydrate intake accelerates glycogen replenishment and supports recovery.

The quantity of carbohydrates required depends on the type, duration, and intensity of training. Endurance athletes generally require higher carbohydrate intake than athletes participating in strength or skill-based sports. Therefore, nutrition plans should be individualized according to the athlete's training demands and competition schedule.

Protein

Protein is essential for muscle growth, tissue repair, enzyme production, hormone synthesis, and immune function. Exercise causes microscopic damage to muscle fibers, and dietary protein provides the amino acids necessary for muscle repair and adaptation. Athletes involved in resistance training require higher protein intake than sedentary individuals

Research indicates that consuming high-quality protein within two hours after exercise enhances muscle protein synthesis and accelerates recovery. Protein intake should be distributed evenly throughout the day to maximize muscle adaptation. Common sources include lean meat, fish, eggs, milk, yogurt, legumes, soy products, and nuts.

Adequate protein intake not only improves muscle strength but also reduces muscle soreness and supports long-term athletic development. Recent evidence suggests that combining carbohydrates and protein after exercise further enhances glycogen restoration and recovery.

Fats

Healthy fats provide energy during prolonged exercise, support hormone production, and facilitate the absorption of fat-soluble vitamins. Athletes should emphasize unsaturated fats while limiting excessive saturated fat intake.

Vitamins and Minerals

Micronutrients such as iron, calcium, vitamin D, magnesium, zinc, and B-complex vitamins are essential for oxygen transport, bone health, energy metabolism, and muscle function.

Hydration

Proper hydration is essential for maintaining body temperature, cardiovascular function, and exercise performance. Even mild dehydration can impair endurance, cognitive function, and skill execution.

Nutrient Timing

Nutrient timing refers to consuming appropriate foods before, during, and after exercise.

Before Exercise

- Consume carbohydrate-rich meals.
- Maintain hydration.

During Exercise

- Water for shorter activities.
- Electrolyte and carbohydrate drinks for prolonged events.

After Exercise

- Carbohydrates replenish glycogen.
- Protein stimulates muscle repair.
- Fluids restore hydration.

Dietary Supplements

Evidence supports selected supplements such as:

- Creatine
- Caffeine
- Sports drinks
- Protein supplements
- Beta-alanine (for selected events)

Review of Previous Studies

Table 1 Review of previous studies

Author	Year	Major Findings
Thomas et al.	2016	Evidence-based nutrition improves performance and recovery.
Spriet	2019	Individualized nutrition plans optimize athletic performance.
Burke et al.	2019	Proper carbohydrate and protein intake enhances training adaptation.
Kerksick et al.	2018	Sports supplements improve performance when appropriately used.
Close et al.	2018	Nutrition should be integrated with training programs.

Discussion

The reviewed literature demonstrates that sports nutrition is fundamental to athletic success. Adequate intake of carbohydrates, proteins, healthy fats, vitamins, minerals, and fluids enhances exercise capacity, supports recovery, and promotes long-term athlete health. Research consistently emphasizes individualized nutrition plans based on sport-specific demands rather than one-size-fits-all recommendations. Recent evidence also highlights the importance of nutrient timing and scientifically validated supplementation as complementary strategies for improving performance.

Conclusion

Sports nutrition is an essential component of athletic preparation and performance enhancement. Appropriate dietary strategies improve endurance, strength, recovery, and overall health while reducing fatigue and injury risk. Coaches, sports nutritionists, and athletes should adopt evidence-based nutritional practices tailored to the specific requirements of each sport. Future research

should continue to investigate personalized nutrition approaches and the long-term effects of dietary interventions on athletic performance.

References

- Burke, L. M., Hawley, J. A., Wong, S. H., & Jeukendrup, A. E. (2019). Carbohydrates for training and competition. *Journal of Sports Sciences*, 29(Suppl. 1), S17–S27.
- Close, G. L., Kasper, A. M., & Morton, J. P. (2018). From paper to podium: Quantifying the translational potential of performance nutrition research. *Sports Medicine*, 48(Suppl. 1), 25–37.
- Kerksick, C. M., Wilborn, C. D., Roberts, M. D., et al. (2018). ISSN exercise and sports nutrition review update: Research and recommendations. *Journal of the International Society of Sports Nutrition*, 15(1), 38.
- Maughan, R. J., Burke, L. M., Dvorak, J., et al. (2018). IOC consensus statement: Dietary supplements and the high-performance athlete. *British Journal of Sports Medicine*, 52(7), 439–455.
- Spriet, L. L. (2019). Performance nutrition for athletes. *Sports Medicine*, 49(Suppl. 2), 1–2.
- Thomas, D. T., Erdman, K. A., & Burke, L. M. (2016). Nutrition and athletic performance. *Medicine & Science in Sports & Exercise*, 48(3), 543–568.
- Jeukendrup, A. E. (2017). Periodized nutrition for athletes. *Sports Medicine*, 47(Suppl. 1), 51–63.
- Phillips, S. M., & Van Loon, L. J. C. (2011). Dietary protein for athletes: From requirements to metabolic advantage. *Applied Physiology, Nutrition, and Metabolism*, 36(5), 647–654.
- Burke, L. M. (2015). Re-examining high-fat diets for sports performance. *Sports Medicine*, 45(Suppl. 1), S33–S49.
- Rodriguez, N. R., DiMarco, N. M., & Langley, S. (2009). Position of the American Dietetic Association: Nutrition and athletic performance. *Journal of the American Dietetic Association*, 109(3), 509–527.
- Casa, D. J., Armstrong, L. E., Hillman, S. K., et al. (2000). National Athletic Trainers' Association position statement: Fluid replacement for athletes. *Journal of Athletic Training*, 35(2), 212–224.
- Hawley, J. A., & Burke, L. M. (2010). Carbohydrate availability and training adaptation. *Journal of Sports Sciences*, 28(Suppl. 1), S15–S22.
- Cermak, N. M., & Van Loon, L. J. C. (2013). The use of carbohydrates during exercise as an ergogenic aid. *Sports Medicine*, 43(11), 1139–1155.
- Tipton, K. D. (2015). Nutritional support for exercise-induced injuries. *Sports Medicine*, 45(Suppl. 1), S93–S104.
- Burke, L. M. (2021). Practical sports nutrition. *Human Kinetics*.

Article History

Received: 12 Jan 2023

Accepted: 20 Jan 2023

Published: 25 Jan 2023

How to Cite: Himanshi (2023.). The Role of Physical Activity in Improving Mental Health: A Review. *The Scholars Time: A Multidisciplinary Journal of Research and Development* 06 (01). 5-9.

COPYRIGHT

© This work is licensed under a Creative Commons Attribution 4.0 International License.